REFERENCES:

1. Kurnoskin AV; 1993, Epoxy polymer modification with metals, *Polym Comp,* **14 (6):**481.
2. Kurnoskin AV; 1993, Synthsis and properties, *Metalliferous epoxy chelate polymers: Part 1*, **34(5)**: 1060.
3. Kurnoskin AV; 1993 Influence of structural fragments on properties, *Metalliferous epoxy chelate polymers: Part 2*, **34(5):**1068.
4. Kurnoskin AV; 1993, Influence of. structural fragments on the properties of similar matrices, *Metalliferous epoxy chelate polymers: Part 3*, **34(5):**1077.
5. Kurnoskin AV; 1993, Structure of the epoxy chelate metal-containing matrices: theoretical aspects, *J Appl Polym Sci*, **48**:639.
6. Kurnoskin AV; 1992, Polymers based on epoxy oligomers and hardeners: chelates of metals with aromatic and heterocyclic amines, *Ind Eng Chem Res*, **31**: 524.
7. Lin K F and Wang W H; 1995, Imidazole and chromium acetylacetonate as additives for the cure and fracture-toughness of epoxy resins and their composites, *Polym Comp*, **16(4):**269.
8. Kochetov R, Andritsch T, Morshuis P H F and Smit J J; 2010, Effect of filler size on complex permittivity and thermal conductivity of epoxy-based composites filled with BN particles, *Electrical Insulation and Dielectric Phenomena*, **1:** 1.
9. Lin K F, Shu W Y and Wey T L; 1993,Their effects on toughness and morphology of epoxy resins, *Polym*, **34(2):** 277.
10. Lin K F, Shu W Y and Wey T L; 1993, Interaction with epoxy resins. *Polym*, **34(10):** 2162.

11. Anand M and Srivastava A K,; 1997,Synthesis and characterization of epoxy resins containing arsenic acrylate, *Polym Eng Sci*, **37(1):**183.
12. Anand M and Srivastava A K; 1994, Synthesis and characterization of epoxy resins containing chromium acrylate, *Angew Makromol Chem*, **219**: 1.
13. Peltola J, Cao Y and Smith P; 1995, Adhesives made with inherently conducting polymers, *Adhes Age*, **39**: 18.
14. Pascual S V and Martin M J M; 2006, Influence of the curing temperature in the mechanical and thermal properties of nanosilica filled epoxy resin coating, *Macromol Symp*, **233**: 137.
15. Lee L H; 1965,Mechanisms of thermal degradation of phenolic condensation polymers- II, Thermal stability and degradation schemes of epoxy resins, *J Polym Sci A Poly Chem*, **3**: 859.
16. Maity T, Samanta B C, Dalai S and Banthia A K; 2007, Curing study of epoxy resin by new aromatic amine functional curing agents along with mechanical and thermal evaluation, *Mater Sci Eng A*, **464**: 38.
17. Haitham E, Julian S and Nick S; 2011, Effect of Filler Size and Temperature on Packing Stress and Viscosity of Resin-composites, *International Journal of Molecular Sciences*, **12(8)**: 5330.
18. Musto P, Martuscelli R G, Russo P and Villano P; 1999,Tetrafunctional epoxy resins: modeling the curing kinetics based on FTIR spectroscopy data, *J Appl Polym Sci*, **74**: 532.
19. Carrasco F, Pages P, Lacorte T and Briceno K; 2005, Fourier transform IR and differential scanning calorimetry study of curing of trifunctional amino-epoxy resin, *J Appl Polym Sci*, **98**: 1524.

20. Chen W Y, Wang Y Z and Chang F C; 2004, Study on curing kinetics and curing mechanism of epoxy resin based on diglycidyl ether of bisphenol A and melamine phosphate, *J Appl Polym Sci*, **92**:892.
21. Liu Y, Zhang C, Du Z and Li H; 2006, Preparation and curing kinetics of bisphenol A type novolac epoxy resins, *J Appl Polym Sci*, **99**: 858.
22. Ghaemy M, Barghamadi M and Behmadi H; 2004, Cure kinetics of epoxy resin and aromatic diamines, *J Appl Polym Sci*, **94**: 1049.
23. Ghaemy M, Barghamadi M and Behmadi H, Nonisothermal; 2007,cure kinetics of DGEBA with novel aromatic diamine, *J Appl Polym Sci*, **103**: 3076.
24. Ghaemy M, Amini Nasab S M and Barghamadi M; 2008, Preparation and nonisothermal cure kinetics of DGEBA-nanosilica particles composites, *Polym Composite*, **29**: 165.
25. Jain R, Kukreja P, Narula A K and Chaudhary V; 2006, Studies of the curing kinetics and thermal stability of epoxy resins using a mixture of amines and anhydrides, *J Appl Polym Sci*, **100**: 3919.
26. Mijovic J, Kim J and Slaby J; 1984, Cure kinetics of epoxy formulations of the type used in advanced composites, *J Appl Polym Sci*, **29**:1449.
27. Lu MG, Shim MJ and Kim SW; 1999, Dynamic DSC characterization of epoxy resin by means of the avrami equation, *J Therm Anal Calorim*, **58**: 701.
28. Zhang X H, Min Y Q, Zhao H and Wan H M, Qi G R; 2006, Novel nitrogen-containing epoxy resin. II: cure kinetics by differential scanning calorimetry, *J Appl Polym Sci*, **100**: 3483.

29. Ghaemy M, Omrani A and Rostami A A; 2005, Study of reaction kinetics of epoxy and a nickel(II) complex using dynamic DSC technique, *J Appl Polym Sci*, **97**:265.
30. Ghaemy M and Sadjady S; 2006,Kinetic analysis of curing behavior of diglycidyl ether of bisphenol A with imidazoles using differential scanning calorimetry techniques, *J Appl Polym Sci*, **100**: 2634.
31. Chen J P and Natansohn A; 1999, Synthesis and characterization of novel carbazole-containing soluble polyimides, *Macromolecules*, **32**, 3171.
32. Grotta H M, Riggle C J and Bearse A E, Dinitrocarbazoles; 1964, *J Org Chem*, **29:** 2474.
33. Dan X, Hongtao L, Xingwu S, Hui N L, Gang Z, Hongcheng S, Hao J and Chengji Z; 2011, Preparation, characterization and thermalproperties of tetramethylbisphenol-F, *Macromolecules*, **45**:3205
34. Sang H L and Tetsuo T; 2000, Molecular design of fluorenebased polymers and oligomers for organic light-emitting diodes, *Thin Solid Films*, **363**: 76.
35. Mishra A K, Jacob J and Mullen K; 2007, Synthesis of aminocarbazole anthraquinone fused dyes and polymers, *Dyes Pigm*, **75**: 1.
36. Klapars A, Huang X and Buchwald S L; 2002, A general and efficient copper catalyst for the amidation of aryl halides, *J Am Chem Soc*, **124**:7421.
37. Ghaemy M, Barghamadi M and Behmadi H; 2006, Studies of cure kinetics and chemical resistance of the cured products of DGEBA with aromatic diamines, *Iran Polym J*, **15**: 375.
38. Ghaemy M, Rahpaima G and Behmadi H; 2008, Effect of triphenylphosphine on the cure reaction and thermal stability of diglycidyl ether of bisphenol Abased epoxy resin, *Iran Polym J*, **17**: 875.

39. Ghaemy M and Hassanpour-Shahriari A; 2008, Study of the cure reaction of DGEBA/ABS blend in the presence of an aromatic diamine, *Iran Polym J*, **17:** 395.
40. Palaniappan S, Sreedhar B and Nair Smitha M; 2001, Polyaniline as a curing agent for epoxy resin: cure kinetics by differential scanning calorimetry, *Macromol Chem Phys*, **202**: 1227.
41. Ampudia J, Larrauri E, Gil EM, Rodriguez M and Leon LM; 1999, Thermal scanning rheometric analysis of curing kinetic of an epoxy resin. I: an anhydride as curing agent, *J Appl Polym Sci*, **71**: 1239.
42. Lu MG, Shim MJ and Kim SW; 1999, Effect of filler on cure behavior of an epoxy system: cure modeling, *Polym Eng Sci*, **39**:274.
43. Zvetkov V L; 2001, Comparative DSC kinetics of the reaction of DGEBA with aromatic diamines. I: non-isothermal kinetic study of the reaction of DGEBA with m-phenylene diamine, *Polymer*, **42**:6687.
44. Kissinger H E, Reaction kinetics in differential thermal analysis; 1957, *Anal Chem*, **29**: 1702.
45. Gu J, Narang SC and Pearce EM; 1985, Curing of epoxy resins with diphenyliodonium salts as thermal initiators, *J Appl Polym Sci*, **30**:2997.
46. Ozawa T; 1970, Kinetic analysis of derivative curves in thermal analysis, *J Therm Anal Calorim*, **2**: 301.
47. Moroni A, Mijovic J, Pearce E and Foun C C; 1986, Cure kinetics of epoxy resins and aromatic diamines, *J Appl Polym Sci*, **32**: 3761.
48. Salla J M, Ramis X, Morancho J M and Cadenato A; 2002, Isoconversion kinetic analysis of a carboxyl terminated polyester resin crosslinked with

triglycidyl isocyanurate (TGIC) used in powder coatings from exprimental results obtained by DSC and TMDSC, *Thermochim Acta,* **388**: 355.

49. Zhou T L, Gu M Y, Jin Y P and Wang J X; 2006, Isoconversional method to explore the cure reaction mechanisms and curing kinetics of DGEBA/EMI-2,4/nano-SiC system, *J Polym Sci A Poly Chem*, **44**: 371.
50. Anand M and Srivastava A K; 1994, Synthesis of zinc-containing epoxy resin. *J Appl Polym Sci* **51(2):**203.
51. Anand M and Srivastava A K; 1993, Synthesis and characterization of epoxy resins containing poly(copper acrylate). *J Macromol Sci, Pure Appl Chem*, **A30(5):** 435.
52. Anand M and Srivastava A K; 1993, Synthesis and characterization of new epoxy resins containing transition metals. *J Polymer* **34(13):**2860.
53. R Kochetov, T Andritsch, U Lafont, P H F Morshuis and J J Smit; 2010, Effects of inorganic nanofillers and combinations of them on the complex permittivity of epoxy-based composites, *Electrical Insulation and Dielectric Phenomena, Marcel Dekker, New York,* **3:** 1.
54. Bluma G S, Sebastien L, Jannick D and Jean G; 2011, Synthesis and Characterization of Epoxy/MCDEA Networks Modified with Imidazolium-Based Ionic Liquids, *Macromolecular Materials and Engineering*, **296 (8):**1.
55. Durga G, Kukreja P and Narula A K; 2010, Studies on curing kinetics and thermal behavior of phosphorylated epoxy resin in the presence of aromatic amide-amines, J App Pol Sci, **118(6)**, 3612.
56. Kochetov R, Andritsch T, Morshuis P H F and Smit J J; 2009, Dielectric response and thermal conductivity of epoxy resin filled with nanoalumina

particles of different size and phase, *Electrical Insulation and Dielectric Phenomena.* Marcel Dekker, New York, **2**: 53.

57. Sammani A S and Nayef S; 2010,Thermal properties of epoxy (DGEBA)/phenolic resin (NOVOLAC) blends, *Arab J Sci Engg*, **35:** 10.

58. Holly F W, Cope A C; 1944, Condensation products of aldehydes and ketones with o-aminobenzyl alcohol and o-hydroxybenzylamine, *J Am Chem Soc* **66**:1875.